

Declaration of Performance

- | | |
|---|---|
| 1. Product type: | Double-glazed steel casement window |
| 2. Product type number: | W20-001-Win; W30-001-Win; W40-001-Win. |
| 3. Intended use: | Not on escape route (other) |
| 4. Manufacturer: | <i>Monk Metal Windows Ltd Hansons Bridge Road, Erdington, Birmingham, B24 0QP</i> |
| 5. Authorised representative: | <i>Neil Holding</i> |
| 6. System of assessment of performance: | 3 |
| 7. Reference harmonized standard: | BS EN 14351-1:2006+A1:2010 |
| | By calculation using EN ISO 10077-2 |
| 8. European Technical Assessment: | Not applicable |
| 9. Declared performance: | |

Essential Characteristic	Performance	Harmonised Technical Specification
Thermal transmittance	Better than 3.1w/m ² k	BS EN 14351-1:2006+A1:2010
Dangerous substances	None	
Load-bearing capacity of safety device	350 N	

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Neil Holding

Monk Metal Windows Ltd

Neil Holding July 2013

Declaration of Performance

<ol style="list-style-type: none"> 1. Product type: 2. Product type number: 3. Intended use: 4. Manufacturer: 5. Authorised representative: 6. System of assessment of performance: 7. Reference harmonized standard: 8. European Technical Assessment: 9. Declared performance: 	<p>Double-glazed steel casement window W20-002-Win; W30-002-Win; W40-002-Win. Not on escape route (other) <i>Monk Metal Windows Ltd, Hansons Bridge Road, Erdington, Birmingham, B24 0QP</i> <i>Neil Holding</i> 3 BS EN 14351-1:2006+A1:2010 By calculation using EN ISO 10077-2 Not applicable</p>	
Essential Characteristic	Performance	Harmonised Technical Specification
Thermal transmittance	Better than 3.1w/m ² k	BS EN 14351-1:2006+A1:2010
Dangerous substances	None	
<p>10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.</p> <p>Signed for and on behalf of the manufacturer by:</p> <p>Neil Holding Director</p> <p>Monk Metal Windows Ltd <i>Neil Holding</i> July 2013</p>		

Declaration of Performance

- | | |
|---|--|
| 1. Product type: | External pedestrian locked steel doorset |
| 2. Product type number: | W20-002-Door; W30-002-Door; W40-002-Door |
| 3. Intended use: | On escape route |
| 4. Manufacturer: | <i>Monk Metal Windows Ltd, Hansons Bridge Road, Erdington, Birmingham, B24 0QP</i> |
| 5. Authorised representative: | <i>Neil Holding</i> |
| 6. System of assessment of performance: | 1 |
| 7. Reference harmonized standard: | BS EN 14351-1:2006+A1:2010 |
| [BSI 0086] performed [tasks] and issued [certificate....., report.....] | |
| Statement verified by [xxxxxx] | |
| Report [xxxxxx] issued by [notified body yyyy] | |
| By calculation using EN ISO 10077-2 | |
| 8. European Technical Assessment: | Not applicable |
| 9. Declared performance: | |

Essential Characteristic	Performance	Harmonised Technical Specification
Thermal transmittance	Better than 4.55w/m ² k	BS EN 14351-1:2006+A1:2010
Dangerous substances	None	
Ability to release	EN-179 EN-1125 EN-1935	

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Neil Holding Director

Monk Metal Windows Ltd

Neil Holding July 2013

Declaration of Performance

- | | |
|---|--|
| 1. Product type: | External pedestrian steel doorset |
| 2. Product type number: | W20-001-Door; W30-001-Door; W40-001-Door |
| 3. Intended use: | Not on escape route (other) |
| 4. Manufacturer: | <i>Monk Metal Windows Ltd, Hansons Bridge Road, Erdington, Birmingham, B24 0QP</i> |
| 5. Authorised representative: | <i>Neil Holding</i> |
| 6. System of assessment of performance: | 3 |
| 7. Reference harmonized standard: | BS EN 14351-1:2006+A1:2010 |
| | By calculation using EN ISO 10077-2 |
| 8. European Technical Assessment: | Not applicable |

9. Declared performance:

Essential Characteristic	Performance	Harmonised Technical Specification
Thermal transmittance	Better than 4.55w/m ² k	BS EN 14351-1:2006+A1:2010
Dangerous substances	None	

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Neil Holding Director

Monk Metal Windows Ltd

Neil Holding July 2013